

Unofficial Draft Copy

As of: February 21, 2012 (1:15pm)

LC8004

**** Bill No. ****

Introduced By *****

By Request of the *****

A Bill for an Act entitled: "An Act limiting the appropriation of water without a permit in subdivisions; requiring the department of natural resources and conservation to approve applications for exempt wells in subdivisions; amending sections 76-3-504, 76-3-605, 76-3-615, 76-3-620, 76-3-622, and 85-2-306, MCA; and providing an applicability date."

Be it enacted by the Legislature of the State of Montana:

Section 1. Section 76-3-504, MCA, is amended to read:

"76-3-504. Subdivision regulations -- contents. (1) The subdivision regulations adopted under this chapter must, at a minimum:

(a) list the materials that must be included in a subdivision application in order for the application to be determined to contain the required elements for the purposes of the review required in 76-3-604(1);

(b) except as provided in 76-3-509, 76-3-609, or 76-3-616, require the subdivider to submit to the governing body an environmental assessment as prescribed in 76-3-603;

(c) establish procedures consistent with this chapter for the submission and review of subdivision applications and amended applications;

(d) prescribe the form and contents of preliminary plats and the documents to accompany final plats;

(e) provide for the identification of areas that, because of natural or human-caused hazards, are unsuitable for subdivision development. The regulations must prohibit subdivisions in these areas unless the hazards can be eliminated or overcome by approved construction techniques or other mitigation measures authorized under 76-3-608(4) and (5).

Approved construction techniques or other mitigation measures may not include building regulations as defined in 50-60-101 other than those identified by the department of labor and industry as provided in 50-60-901.

(f) prohibit subdivisions for building purposes in areas located within the floodway of a flood of 100-year frequency, as defined by Title 76, chapter 5, or determined to be subject to flooding by the governing body;

(g) prescribe standards for:

(i) the design and arrangement of lots, streets, and roads;

(ii) grading and drainage;

(iii) subject to the provisions of 76-3-511, water supply and sewage and solid waste disposal that meet the:

(A) regulations adopted by the department of environmental quality under 76-4-104 for subdivisions that will create one or more parcels containing less than 20 acres; and

(B) standards provided in 76-3-604 and 76-3-622 for subdivisions that will create one or more parcels containing 20 acres or more and less than 160 acres; and

(iv) the location and installation of public utilities;

(h) provide procedures for the administration of the park and open-space requirements of this chapter;

(i) provide for the review of subdivision applications by affected public utilities and those agencies of local, state, and federal government identified during the preapplication consultation conducted pursuant to subsection (1)(q) or those having a substantial interest in a proposed subdivision. A public utility or agency review may not delay the governing body's action on the application beyond the time limits specified in this chapter, and the failure of any agency to complete a review of an application may not be a basis for rejection of the application by the governing body.

(j) when a subdivision creates parcels with lot sizes averaging less than 5 acres, require the subdivider to:

(i) reserve all or a portion of the appropriation water rights owned by the owner of the land to be subdivided and transfer the water rights to a single entity for use by landowners within the subdivision who have a legal right to the water and reserve and sever any remaining surface water rights from the land;

(ii) if the land to be subdivided is subject to a contract or interest in a public or private entity formed to provide the use of a water right on the subdivision lots, establish a landowner's water use agreement administered through a single entity that specifies administration and the rights and responsibilities of landowners within the subdivision who have a

legal right and access to the water; or

(iii) reserve and sever all surface water rights from the land;

(k) (i) except as provided in subsection (1)(k)(ii), require the subdivider to establish ditch easements in the subdivision that:

(A) are in locations of appropriate topographic characteristics and sufficient width to allow the physical placement and unobstructed maintenance of open ditches or belowground pipelines for the delivery of water for irrigation to persons and lands legally entitled to the water under an appropriated water right or permit of an irrigation district or other private or public entity formed to provide for the use of the water right on the subdivision lots;

(B) are a sufficient distance from the centerline of the ditch to allow for construction, repair, maintenance, and inspection of the ditch; and

(C) prohibit the placement of structures or the planting of vegetation other than grass within the ditch easement without the written permission of the ditch owner.

(ii) Establishment of easements pursuant to this subsection (1)(k) is not required if:

(A) the average lot size is 1 acre or less and the subdivider provides for disclosure, in a manner acceptable to the governing body, that adequately notifies potential buyers of lots that are classified as irrigated land and may continue to be assessed for irrigation water delivery even though the water may

not be deliverable; or

(B) the water rights are removed or the process has been initiated to remove the water rights from the subdivided land through an appropriate legal or administrative process and if the removal or intended removal is denoted on the preliminary plat. If removal of water rights is not complete upon filing of the final plat, the subdivider shall provide written notification to prospective buyers of the intent to remove the water right and shall document that intent, when applicable, in agreements and legal documents for related sales transactions.

(l) require the subdivider, unless otherwise provided for under separate written agreement or filed easement, to file and record ditch easements for unobstructed use and maintenance of existing water delivery ditches, pipelines, and facilities in the subdivision that are necessary to convey water through the subdivision to lands adjacent to or beyond the subdivision boundaries in quantities and in a manner that are consistent with historic and legal rights;

(m) limit the total amount of water appropriated for the subdivision pursuant to 85-2-306 (3)(a)(i)(A) to 10 acre-feet per year;

~~(m)~~(n) require the subdivider to describe, dimension, and show public utility easements in the subdivision on the final plat in their true and correct location. The public utility easements must be of sufficient width to allow the physical placement and unobstructed maintenance of public utility facilities for the provision of public utility services within

the subdivision.

~~(n)~~(o) establish whether the governing body, its authorized agent or agency, or both will hold public hearings;

~~(o)~~(p) establish procedures describing how the governing body or its agent or agency will address information presented at the hearing or hearings held pursuant to 76-3-605 and 76-3-615;

~~(p)~~(q) establish criteria that the governing body or reviewing authority will use to determine whether a proposed method of disposition using the exemptions provided in 76-3-201 or 76-3-207 is an attempt to evade the requirements of this chapter. The regulations must provide for an appeals process to the governing body if the reviewing authority is not the governing body.

~~(q)~~(r) establish a preapplication process that:

(i) requires a subdivider to meet with the authorized agent or agency, other than the governing body, that is designated by the governing body to review subdivision applications prior to the subdivider submitting the application;

(ii) requires, for informational purposes only, identification of the state laws, local regulations, and growth policy provisions, if a growth policy has been adopted, that may apply to the subdivision review process;

(iii) requires a list to be made available to the subdivider of the public utilities, those agencies of local, state, and federal government, and any other entities that may be contacted for comment on the subdivision application and the timeframes that the public utilities, agencies, and other entities are given

to respond. If, during the review of the application, the agent or agency designated by the governing body contacts a public utility, agency, or other entity that was not included on the list originally made available to the subdivider, the agent or agency shall notify the subdivider of the contact and the timeframe for response.

(iv) requires that a preapplication meeting take place no more than 30 days from the date that the authorized agent or agency receives a written request for a preapplication meeting from the subdivider; and

(v) establishes a time limit after a preapplication meeting by which an application must be submitted as provided in 76-3-604;

~~(r)~~(s) requires that the written decision required by 76-3-620 must be provided to the applicant within 30 working days following a decision by the governing body to approve, conditionally approve, or deny a subdivision.

(2) In order to accomplish the purposes described in 76-3-501, the subdivision regulations adopted under 76-3-509 and this section may include provisions that are consistent with this section that promote cluster development.

(3) The governing body may establish deadlines for submittal of subdivision applications."

{*Internal References to 76-3-504:*

| | | | |
|------------|-------------|------------|-----------|
| 50-60-901x | 50-60-901 x | 76-3-511x | 76-3-511x |
| 76-3-601x | 76-3-604x | 76-3-604x | 76-3-605a |
| 76-3-609 x | 76-3-615a | 76-3-620a} | |

Section 2. Section 76-3-605, MCA, is amended to read:

"76-3-605. Hearing on subdivision application. (1) Except as provided in 76-3-609 and 76-3-616 and subject to the regulations adopted pursuant to ~~76-3-504(1)(o)~~ 76-3-504(1)(p) and 76-3-615, at least one public hearing on the subdivision application must be held by the governing body, its authorized agent or agency, or both and the governing body, its authorized agent or agency, or both shall consider all relevant evidence relating to the public health, safety, and welfare, including the environmental assessment if required, to determine whether the subdivision application should be approved, conditionally approved, or denied by the governing body.

(2) When a proposed subdivision is also proposed to be annexed to a municipality, the governing body of the municipality shall hold joint hearings on the subdivision application and annexation whenever possible.

(3) Notice of the hearing must be given by publication in a newspaper of general circulation in the county not less than 15 days prior to the date of the hearing. The subdivider, each property owner of record whose property is immediately adjoining the land included in the preliminary plat, and each purchaser under contract for deed of property immediately adjoining the land included in the preliminary plat must also be notified of the hearing by registered or certified mail not less than 15 days prior to the date of the hearing.

(4) When a hearing is held by an agent or agency designated by the governing body, the agent or agency shall act in an

advisory capacity and recommend to the governing body the approval, conditional approval, or denial of the proposed subdivision. This recommendation must be submitted to the governing body in writing not later than 10 working days after the public hearing."

{Internal References to 76-3-605:

76-3-504x 76-3-601x 76-3-609x 76-3-615x
76-3-615x 76-3-616 x}

Section 3. Section 76-3-615, MCA, is amended to read:

"76-3-615. Subsequent hearings -- consideration of new information -- requirements for regulations. (1) The regulations adopted pursuant to ~~76-3-504(1)(o)~~ 76-3-504(1)(p) must comply with the provisions of this section.

(2) The governing body shall determine whether public comments or documents presented to the governing body at a hearing held pursuant to 76-3-605 constitute:

(a) information or analysis of information that was presented at a hearing held pursuant to 76-3-605 that the public has had a reasonable opportunity to examine and on which the public has had a reasonable opportunity to comment; or

(b) new information regarding a subdivision application that has never been submitted as evidence or considered by either the governing body or its agent or agency at a hearing during which the subdivision application was considered.

(3) If the governing body determines that the public comments or documents constitute the information described in subsection (2)(b), the governing body may:

(a) approve, conditionally approve, or deny the proposed subdivision without basing its decision on the new information if the governing body determines that the new information is either irrelevant or not credible; or

(b) schedule or direct its agent or agency to schedule a subsequent public hearing for consideration of only the new information that may have an impact on the findings and conclusions that the governing body will rely upon in making its decision on the proposed subdivision.

(4) If a public hearing is held as provided in subsection (3)(b), the 60-working-day review period required in 76-3-604(4) is suspended and the new hearing must be noticed and held within 45 days of the governing body's determination to schedule a new hearing. After the new hearing, the 60-working-day time limit resumes at the governing body's next scheduled public meeting for which proper notice for the public hearing on the subdivision application can be provided. The governing body may not consider any information regarding the subdivision application that is presented after the hearing when making its decision to approve, conditionally approve, or deny the proposed subdivision."

{*Internal References to 76-3-615:*

76-3-504x 76-3-604x 76-3-605x 76-3-609x }

Section 4. Section 76-3-620, MCA, is amended to read:

"76-3-620. Review requirements -- written statement. In addition to the requirements of 76-3-604 and 76-3-609, following any decision by the governing body to deny or conditionally

approve a proposed subdivision, the governing body shall, in accordance with the time limit established in ~~76-3-504(1)(r)~~ 76-3-504(1)(s), prepare a written statement that must be provided to the applicant, that must be made available to the public, and that:

(1) includes information regarding the appeal process for the denial or imposition of conditions;

(2) identifies the regulations and statutes that are used in reaching the decision to deny or impose conditions and explains how they apply to the decision to deny or impose conditions;

(3) provides the facts and conclusions that the governing body relied upon in making its decision to deny or impose conditions and references documents, testimony, or other materials that form the basis of the decision; and

(4) provides the conditions that apply to the preliminary plat approval and that must be satisfied before the final plat may be approved."

{*Internal References to 76-3-620:*

76-3-504 x 76-3-604 x 76-3-609x }

Section 5. Section 76-3-622, MCA, is amended to read:

"76-3-622. Water and sanitation information to accompany preliminary plat. (1) Except as provided in subsection (2), the subdivider shall submit to the governing body or to the agent or agency designated by the governing body the information listed in this section for proposed subdivisions that will include new

water supply or wastewater facilities. The information must include:

(a) a vicinity map or plan that shows:

(i) the location, within 100 feet outside of the exterior property line of the subdivision and on the proposed lots, of:

(A) flood plains;

(B) surface water features;

(C) springs;

(D) irrigation ditches;

(E) existing, previously approved, and, for parcels less than 20 acres, proposed water wells and wastewater treatment systems;

(F) for parcels less than 20 acres, mixing zones identified as provided in subsection (1)(g); and

(G) the representative drainfield site used for the soil profile description as required under subsection (1)(d); and

(ii) the location, within 500 feet outside of the exterior property line of the subdivision, of public water and sewer facilities;

(b) a description of the proposed subdivision's water supply systems, storm water systems, solid waste disposal systems, and wastewater treatment systems, including whether the water supply and wastewater treatment systems are individual, shared, multiple user, or public as those systems are defined in rules published by the department of environmental quality;

(c) a drawing of the conceptual lot layout at a scale no smaller than 1 inch equal to 200 feet that shows all information

required for a lot layout document in rules adopted by the department of environmental quality pursuant to 76-4-104;

(d) evidence of suitability for new onsite wastewater treatment systems that, at a minimum, includes:

(i) a soil profile description from a representative drainfield site identified on the vicinity map, as provided in subsection (1)(a)(i)(G), that complies with standards published by the department of environmental quality;

(ii) demonstration that the soil profile contains a minimum of 4 feet of vertical separation distance between the bottom of the permeable surface of the proposed wastewater treatment system and a limiting layer; and

(iii) in cases in which the soil profile or other information indicates that ground water is within 7 feet of the natural ground surface, evidence that the ground water will not exceed the minimum vertical separation distance provided in subsection (1)(d)(ii);

(e) for new water supply systems, unless cisterns are proposed, evidence of adequate water availability:

(i) obtained from well logs or testing of onsite or nearby wells;

(ii) obtained from information contained in published hydrogeological reports; or

(iii) as otherwise specified by rules adopted by the department of environmental quality pursuant to 76-4-104;

(f) evidence of sufficient water quality in accordance with rules adopted by the department of environmental quality pursuant

to 76-4-104;

(g) if the proposed water supply uses an exemption pursuant to 85-2-306 (3)(a)(i)(A), confirmation from the department of natural resources and conservation that the total water appropriated by the subdivision is likely to be less than 10 acre-feet per year.

~~(g)~~(h) a preliminary analysis of potential impacts to ground water quality from new wastewater treatment systems, using as guidance rules adopted by the board of environmental review pursuant to 75-5-301 and 75-5-303 related to standard mixing zones for ground water, source specific mixing zones, and nonsignificant changes in water quality. The preliminary analysis may be based on currently available information and must consider the effects of overlapping mixing zones from proposed and existing wastewater treatment systems within and directly adjacent to the subdivision. Instead of performing the preliminary analysis required under this subsection (1)(g), the subdivider may perform a complete nondegradation analysis in the same manner as is required for an application that is reviewed under Title 76, chapter 4.

(2) A subdivider whose land division is excluded from review under 76-4-125(2) is not required to submit the information required in this section.

(3) A governing body may not, through adoption of regulations, require water and sanitation information in addition to the information required under this section unless the governing body complies with the procedures provided in

76-3-511."

{*Internal References to 76-3-622:*

| | | | |
|------------|-----------|-------------|------------|
| 76-3-504x | 76-3-601x | 76-3-604 x | 76-3-604 x |
| 76-3-608 x | 76-3-608x | 76-4-104x } | |

Section 6. Section 85-2-306, MCA, is amended to read:

"85-2-306. Exceptions to permit requirements. (1) (a)

Except as provided in subsection (1)(b), ground water may be appropriated only by a person who has a possessory interest in the property where the water is to be put to beneficial use and exclusive property rights in the ground water development works.

(b) If another person has rights in the ground water development works, water may be appropriated with the written consent of the person with those property rights or, if the ground water development works are on national forest system lands, with any prior written special use authorization required by federal law to occupy, use, or traverse national forest system lands for the purpose of diversion, impoundment, storage, transportation, withdrawal, use, or distribution of water under the certificate.

(c) If the person does not have a possessory interest in the real property from which the ground water may be appropriated, the person shall provide to the owner of the real property written notification of the works and the person's intent to appropriate ground water from the works. The written notification must be provided to the landowner at least 30 days prior to constructing any associated works or, if no new or expanded works are proposed, 30 days prior to appropriating the

water. The written notification under this subsection is a notice requirement only and does not create an easement in or over the real property where the ground water development works are located.

(2) Inside the boundaries of a controlled ground water area, ground water may be appropriated only:

(a) according to a permit received pursuant to 85-2-508; or

(b) according to the requirements of a rule promulgated pursuant to 85-2-506.

(3) (a) (i) Except as provided in subsection (3)(a)(ii), outside the boundaries of a controlled ground water area, a permit is not required before appropriating ground water by means of a well or developed spring:

(A) with a maximum appropriation of 35 gallons a minute or less, not to exceed 10 acre-feet a year, except that a combined appropriation from the same source from two or more wells or developed springs exceeding this limitation requires a permit; or

(B) when the appropriation is made by a local governmental fire agency organized under Title 7, chapter 33, and the appropriation is used only for emergency fire protection, which may include enclosed storage.

(ii) Outside the boundaries of a controlled ground water area, a permit is not required before appropriating ground water by means of a well or developed spring with a maximum appropriation of 350 gallons a minute or less for use in nonconsumptive geothermal heating or cooling exchange applications if all of the water extracted is returned without

delay to the same source aquifer and if the distance between the extraction well and both the nearest existing well and the hydraulically connected surface waters is more than twice the distance between the extraction well and the injection well.

(b) (i) Within 60 days of completion of the well or developed spring and appropriation of the ground water for beneficial use, the appropriator shall file a notice of completion with the department on a form provided by the department through its offices.

(ii) Upon receipt of the notice, the department shall review the notice and may, before issuing a certificate of water right, return a defective notice for correction or completion, together with the reasons for returning it. A notice does not lose priority of filing because of defects if the notice is corrected, completed, and refiled with the department within 30 days of notification of defects or within a further time as the department may allow, not to exceed 6 months.

(iii) If a notice is not corrected and completed within the time allowed, the priority date of appropriation is the date of refiling a correct and complete notice with the department.

(c) A certificate of water right may not be issued until a correct and complete notice has been filed with the department, including proof of landowner notification or a written federal special use authorization as necessary under subsection (1). The original of the certificate must be sent to the appropriator. The department shall keep a copy of the certificate in its office in Helena. The date of filing of the notice of completion is the

date of priority of the right.

(d) (i) A subdivider proposing a subdivision pursuant to regulations adopted under 76-3-504 shall submit an application for an exemption provided by subsection (3) (a) (i) (A) on a form provided by the department.

(ii) The department shall determine within 45 days of receiving the application if the total water appropriated for the subdivision is likely to be less than 10 acre-feet per year.

(iii) upon completion of a well or developed spring and appropriation of the ground water for beneficial use within the subdivision, the appropriator shall follow the requirements for filing a notice of completion as required by subsection (3).

(iv) The department shall adopt rules to allow for the incremental development of the volume of water allowed for the subdivision.

(4) An appropriator of ground water by means of a well or developed spring first put to beneficial use between January 1, 1962, and July 1, 1973, who did not file a notice of completion, as required by laws in force prior to April 14, 1981, with the county clerk and recorder shall file a notice of completion, as provided in subsection (3), with the department to perfect the water right. The filing of a claim pursuant to 85-2-221 is sufficient notice of completion under this subsection. The priority date of the appropriation is the date of the filing of a notice, as provided in subsection (3), or the date of the filing of the claim of existing water right.

(5) An appropriation under subsection (4) is an existing

right, and a permit is not required. However, the department shall acknowledge the receipt of a correct and complete filing of a notice of completion, except that for an appropriation of 35 gallons a minute or less, not to exceed 10 acre-feet a year, the department shall issue a certificate of water right. If a certificate is issued under this section, a certificate need not be issued under the adjudication proceedings provided for in 85-2-236.

(6) A permit is not required before constructing an impoundment or pit and appropriating water for use by livestock if:

(a) the maximum capacity of the impoundment or pit is less than 15 acre-feet;

(b) the appropriation is less than 30 acre-feet a year;

(c) the appropriation is from a source other than a perennial flowing stream; and

(d) the impoundment or pit is to be constructed on and will be accessible to a parcel of land that is owned or under the control of the applicant and that is 40 acres or larger.

(7) (a) Within 60 days after constructing an impoundment or pit, the appropriator shall apply for a permit as prescribed by this part. Subject to subsection (7)(b), upon receipt of a correct and complete application for a stock water provisional permit, the department shall automatically issue a provisional permit. If the department determines after a hearing that the rights of other appropriators have been or will be adversely affected, it may revoke the permit or require the permittee to

modify the impoundment or pit and may then make the permit subject to terms, conditions, restrictions, or limitations that it considers necessary to protect the rights of other appropriators.

(b) If the impoundment or pit is on national forest system lands, an application is not correct and complete under this section until the applicant has submitted proof of any written special use authorization required by federal law to occupy, use, or traverse national forest system lands for the purpose of diversion, impoundment, storage, transportation, withdrawal, use, or distribution of water under the permit.

(8) A person may also appropriate water without applying for or prior to receiving a permit under rules adopted by the department under 85-2-113."

{Internal References to 85-2-306:

| | | | |
|-------------|-------------|-------------|---------------|
| 85-2-102 x* | 85-2-113 x | 85-2-236 x | 85-2-302 x |
| 85-2-322 x | 85-2-330x | 85-2-341 x | 85-2-343 x |
| 85-2-401 x | 85-20-601 x | 85-20-901 x | 85-20-901x |
| 85-20-901x | 85-20-901 x | 85-20-901x | 85-20-901x |
| 85-20-901 x | 85-20-901 x | 85-20-901x | 85-20-901 x |
| 85-20-901 x | 85-20-901x | 85-20-901x | 85-20-901x |
| 85-20-901 x | 85-20-901 x | 85-20-901x | 85-20-901 x |
| 85-20-901 x | 85-20-901 x | 85-20-901x | 85-20-1501x } |

NEW SECTION. **Section 7. {standard} Applicability.** [This act] applies to subdivision applications submitted after [the effective date of this act].

- END -

{Name : Joe P. Kolman
Title : Research Analyst
Agency : LSD
Phone : 444-3747
E-Mail : jkolman@mt.gov}